

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-24 (canceled)

Claim 25 (previously presented): A polypeptide isolated from lung or colon tissue, having at least 95% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (b) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide; or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209532, wherein said polypeptide is encoded by a nucleic acid that is amplified in lung or colon tumors.

Claim 26 (previously presented): The polypeptide of claim 25 isolated from lung or colon tissue, having at least 99% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (b) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50);

- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide; or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209532, wherein said polypeptide is encoded by a nucleic acid that is amplified in lung or colon tumor.

Claim 27 (currently amended): An isolated polypeptide ~~isolated from lung or colon tissue~~ comprising:

- (a) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (b) the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50);
- (d) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide; or
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209532.

Claim 28 (previously presented): The polypeptide of claim 27 isolated from lung or colon tissue, comprising the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50).

Claim 29 (previously presented): The polypeptide of claim 27 isolated from lung or colon tissue, comprising the amino acid sequence of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide.

Claim 30 (previously presented): The polypeptide of claim 27 isolated from lung or colon tissue, comprising the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50).

Claim 31 (currently amended): The polypeptide of claim ~~22~~ 25 isolated from lung or colon tissue, comprising the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 20 (SEQ ID NO:50), lacking its associated signal peptide.

Claim 32 (previously presented): The polypeptide of claim 29 isolated from lung or colon tissue, comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209532.

Claim 33 (currently amended): A chimeric polypeptide comprising a polypeptide according to ~~Claim 22~~ 25 fused to a heterologous polypeptide.

Claim 34 (previously presented): The chimeric polypeptide of Claim 33, wherein said heterologous polypeptide is an epitope tag or an Fc region of an immunoglobulin.

Claim 35 (canceled)

Claim 36 (previously presented): A polypeptide isolated from lung or colon tissue comprising the sequence of SEQ ID NO:50 with 0-10 amino acid additions, deletions, or substitutions, wherein the polypeptide is encoded by a nucleic acid that is amplified in lung or colon tumors.